

Naturally Occurring Radioactive Material




Bureau of Air and Radiation

The Faces of NORM






Faces of NORM





Norm Cash Detroit Tigers





Introduction

- Naturally Occurring Radioactive Material
 - NORM
- Technologically Enhanced
 - TENORM
- Naturally Occurring and Accelerator
 Produced Radioactive Material
 - NARM


Regulatory Impact

- Proposed NRC Rulemaking
 - http://nrc-stp.ornl.gov/asletters/other/sp06068.pdf
 - New definition of byproduct material
 - Accelerator produced material
 - Discrete sources of Ra-226
 - Discrete sources of NORM meeting specific criteria

Impact on State Regulations

- Kansas is an Agreement State
 - NORM is not specifically addressed
 - Each case would qualify based on regulatory limits of radionuclides present
- Review under way to ensure compatibility with proposed Federal Regulations

- Oil and gas
 - Rejected shipments at recycling facilities





- Oil and gas
 - Used pipe





- How pipe becomes radiation concern
 - Salt water forms scale in piping
 - Barite, barium sulfate present in oil deposits
 - Barite incorporates radium
 - Used piping sold for inexpensive fencing
 - Old fence taken to scrap yard
 - Radiation alarms sound at scrap yard
 - Pipe is rejected

- Scrap yard contacts KDHE Radiation Control Program
- KDHE transmits USDOT transportation exemption to scrap yard via facsimile
 - Exemption allows direct transport back to origin of shipment
 - KDHE follows up with origin site regarding disposition of material
 - Normally segregated and stored on-site




Accumulation of NORM

- Pipe cleaning operations
- Levels of concern can be achieved






- Oil and gas
 - Radioactive oil field equipment
 - (USGS Fact Sheet FS-142-99 September 1999)



Landfill Data

 Atmospheric radon plume from landfill gas venting from buried radium-bearing waste



Radium

Uptake in plants



Autoradiograph of plant material containing radioactive isotopes

(Source: Southwest Research Institute®)



Mining






Water Treatment




Public Water Supplies




Sources of Radiation Exposure

From: NCRP Report No. 93




- Radon (55%)
- Natural Sources (excluding Radon) (26%).
- Medical X-rays (11%)
- Nuclear Medicine (4%)
- Consumer Products (3%)
- Other (<1%)</p>

Background Levels




Source: T.E. Myrick, B.A. Breven, F.F. Haywood ORNL/TM-7343, November 1981

Background Radiation




Uranium Concentrations



Source of data: U.S. Geological Survey Digital Data Series DDS-9, 1993

Thorium Concentrations



Source of data: U.S. Geological Survey Digital Data Series DDS-9, 1993

NORM Levels

Levels of Concern


- Gamma exposure rate:
 - 25 uR/h greater than background
- Concentration Limit in Soil
 - 5 pCi/g to 30 pCi/g depending on radon emanation rate, rate of less than
 - 20 pCi/m²s can use the upper soil limit
- Loose Surface Contamination
 - 100 cpm greater than background





Radon Gas is Everywhere


Composite Radon Levels by Kansas County 2005 Radon Database



39% of homes tested in Kansas exceed EPA recommended action level of 4.0 pCi/L

Copyside 2004. Karnas Department of Health & Enterment, K. Det Chicamini.
Castion. This may have been produced from results of a finite of statewist disclose ratios. Insert completed by KDME in 1500 and other sints subreparably chimical statewist disclose ratios. Insert on the public and personated for study purposes with. As father data generated for study purposes with. As father data of the study purposes with a father study purposes with. As father data of the study of the study purposes with a father study of the limited weightlied study for many country to the study of the limited weightlied study for many control to sent for classicate. As appropriate management must be performed to determine the father level in any given building or residence. For addition control to Karnas Studies for residence for addition of the National Studies and the St

Total Number of Measurements = 31,084 Average Radon Level = 4.6 Maximum Radon Level = 204.4 Total Readings 4 pCi/L or above = 12,204





Kansas Radon Program http://radon.oznet.ksu.edu



- Test your home for radon
- Contact Kansas
 Radon Program for more information



Questions

